

# Periodic Inspection



11572 Shady Blossom Drive Fort Myers, FL, 33913

Inspected on 26 August, 2021 11:15 AM

| Report Created on 26 August, 2021 11:19 AM

## Entry

Items	Values	Notes
Walls	Fair	
Ceiling	Clean	

## Family Room

Items	Values	Notes
Windows	Dirty	Cracked windows

## Bathroom

Items	Values	Notes
Ceiling	Fair	
Doors	Good	
Flooring	Good	
Lights	Clean	
Toilet	Good	

## Bedroom

Items	Values	Notes
Walls	Fair	
Doors	Clean	
Flooring	Fair	
Lights	Fair	

---

## Bedroom

Items	Values	Notes
Walls	Fair	

---

## Bathroom

Items	Values	Notes
Ceiling	Good	
Doors	Good	
Windows	Fair	
Bath/Shower	Good	
Toilet	Good	

---

## Living Room

Items	Values	Notes
Walls	Good	
Ceiling	Good	
Doors	Good	
Windows	Fair	
Lights	Clean	

---

## Laundry

Items	Values	Notes
Walls	Fair	
Ceiling	Fair	
Doors	Fair	
Windows	Fair	
Washing Machine	Fair	

---

## External

Items	Values	Notes
Overview	Good	

---

## Pool

Items	Values	Notes
Overview	Fair	

---

## Garden

Items	Values	Notes
Lawn	Good	
Plants	Good	
Trees	Good	
Garden Hose	Good	

---

## Garage/Carport

Items	Values	Notes
Driveway	Good	
Garden Door	Good	
Ceiling	Good	


---

## Summary

General Comments	The property is in good shape
------------------	-------------------------------

---

# Signature



See Signature

26 August, 2021 11:20 AM

---

# Photos

## Entry Photos



Walls

2021-08-26 11:16AM